




GT510P



Dimension(WxHxD):288x526x325mm

Specification

Type	Passive full range loudspeaker
Rated power(AES)	250W
Frequency Response(-10dB)	55Hz-20kHz
Horizontal Coverage	90°/60°
Vertical Coverage	60°/90°
Maximum Calculated SPL/1M(Continuous/Peak)	124dB/130dB
HF	1.75" voice coil, 1.0" exit
LF	10" driver, 2.5" voice coil
Impedance	8Ω
Crossover Mode	Passive
Crossover Point	1.4kHz
Input Connectors	Speakon 4Pin
CABINET	
Cabinet Material	CNC machined plywood
Coating	Durable Polyurea Coating
Cabinet Color	Black is the default color. Contact Audiocenter for customization
Grille	Iron mesh
Handles	1 top
Monitor Angle	/
Hanging Hardwares	M8 screw
Pole Mount	Base hole Φ35mm, 0° or 10° options
Speaker Dimension (WxHxD)	288x526x325mm
Carton Dimension (WxHxD)	383x610x415mm
Net Weight	13.0 kg
Shipping Weight	16.0 kg

Product Profile

GT510P features a built-in passive crossover. This loudspeaker can be used in multimedia function halls, museums, houses of worship, shopping malls and other fixed installations.

The cabinet is made of high-quality wood, with an innovative and compact multi-purpose symmetrical cabinet structure CNC machined. This provides clear and powerful perfect sound quality. The base mounting holes are available in 0° or 10° options. According to different installation locations and methods, the cabinet can meet different sound reinforcement installation environments.

Product Features

- Customized ProDriver
- Smart Crossover Design to ensure zero consumption even in very high dynamic output
- Unique Driver Protection Circuit
- DMF Composite Material Horn Design
- 90 ° rotatable HF horn
- Durable Polyurea Coating
- Double Pole Mount
- Optimized and compact cabinet structure design

Suggested Application



Multi-functional meeting room



House of worship



Museum



Lecture



Meeting room




DJ





Bar




Frequency Response Graphs




Normalized Isobar Plot



Accessories




Horizontal U bracket
Bearing 60KG



Cover



Pole bar
Bearing 50KG



Flightcase
For 2 cabinets,
with 100mm wheels

Installations

